



## Armite No. 609

### High Temp and High Pressure Anti-Seize Compound

Commercial Grade

Armite No. 609 is a must when assembling engines, transmissions, manifolds, and all internal components. For example, when a light coat is applied to the lobes of a camshaft, the wear that occurs in the first 50 to 100 miles is essentially eliminated! Protecting these expensive parts and realizing the time saved in maintenance and repair will certainly convince anyone that Armite No. 609 is an essential product in the automotive and aviation industries.

EASES NUT AND BOLT ASSEMBLY  
GUARANTEES LATER DISASSEMBLY  
INSURES CORRECT TORQUE READINGS



### DESCRIPTION

Armite No. 609 is an excellent compound for sealing and protecting gaskets, spline assemblies, shaft, and all metal to metal surfaces. With Armite No. 609 on your equipment, you will be assured of easy disassembly, saving you costly down time and maintenance expenses. Proven over 50 years, used worldwide, and proudly manufactured in the USA, Armite No. 609 is truly the right choice.

#### APPLY TO:

Manifold and Exhaust Fittings  
Battery Connections  
Hose Assemblies & Connections  
Exposed Chassis Fittings  
Spark Plugs

#### All Threaded Fittings:

Bolts, Nuts, Studs, Plugs & Pipes,  
"Torqued" Bolts and Nuts, Gaskets

### ADDITIONAL INFO

#### Available in

1 lb. plain top can, 1 lb. brush top can, 5 lb. can

**Note:** Products listed are suggestions. The information on this site will not replace your testing and evaluation procedures. Ultimate product selection should be based on your test results and the specific performance requirements.

© Armite Laboratories Inc. | All Rights Reserved | 2019  
1560 Superior Ave. Suite A4 | Costa Mesa, CA 92627  
949-646-9035 | [www.armite.com](http://www.armite.com) | [sales@armite.com](mailto:sales@armite.com)