

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 21-Jun-2022

Revision Date 16-Nov-2023

Revision Number 2

3			
1. Identification			
Product identifier			
Product Name	ARMITE-LP-250 (Lead-Plate 250) High Temperature Anti-Seize Compound		
Other means of identification			
Product Code(s)	02-04, 02-05, 02-06, 02-07, 02-09, 02-10		
UN/ID no	UN3077		
Synonyms	Commercial Grade – MIL-PRF-907F		
Recommended use of the chemical	and restrictions on use		
Recommended use	Anti-seize/Sealant		
Restrictions on use	Do not use with pure Oxygen and Freon gases		
Details of the supplier of the safety	data sheet		
Manufacturer Address Armite Laboratories Inc., dba Armite Lubricants 1218 Commerce Court Suite B Lafayette, CO 80026 +1 720-262-5480			
<u>E-mai</u> l	sales@armite.com		
Emergency telephone number			
24 Hour Emergency Phone Number	888-255-3924		
Emergency telephone	No information available		
12. Hazard(s) identification			
Classification			
This chemical is considered hazardous Carcinogenicity Reproductive toxicity Effects on or via lactation	s by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Category 1A Category 1A Yes		
L			

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Danger



Hazard statements

May cause cancer. May damage fertility or the unborn child. May cause harm to breast-fed children. **Precautionary Statements - Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Do not breathe dusts or mists. Avoid contact during pregnancy and while nursing. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. **Precautionary Statements - Response IF** exposed or concerned: Get medical advice/attention. **Precautionary Statements - Storage**

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Very toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Lead Powder	7439-92-1	60-75	
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	17-25	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	
Description of first aid measures	
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	No information available.
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.
Indication of any immediate medica	l attention and special treatment needed
Note to physicians	Treat symptomatically.
S. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
6. Accidental release meas	sures
Personal precautions, protective eq	uipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

17. Handling and storage

Precautions for safe handling

Advice on safe handling

Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke

when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place and away from direct sunlight/UV light. Keep out of the reach of children. Store at 15.56 - 26.66°C / 60 - 80°F.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Lead Powder 7439-92-1	TWA: 0.05 mg/m3	TWA: 50 μg/m3	IDLH: 100 mg/m ³ TWA: 0.050 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
Lead Powder	200 μg/L - blood (Lead) - not critical
7439-92-1	

Appropriate engineering controls

Engineering controls Individual protection measures, suc	Showers Eyewash stations Ventilation systems. th as personal protective equipment
-	
Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Dark Gray Paste
Solid
Dark gray
Mild Petroleum

Odor threshold	No data available		
Odor threshold Property pH pH (as aqueous solution) Melting point/ freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive Lower flammability or explosive Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature	<u>Values</u> 54.39 °C / 129.9 °F je > 204 °C / > 399.2 °F limits	Remarks• MethodNo data availableNo data available	
Decomposition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Other information Explosive properties Oxidizing properties Softening point Molecular weight VOE content	No information available No information available No information available No information available None	No data available No data available No data available	
Liquid Density Bulk density	No information available No information available		
10. Stability and reactivity			
Reactivity	None under normal use conditions.		
Chemical stability	Stable under normal and foreseeable conditions of storage and use.		
Possibility of hazardous reactions	None under normal processing.		
Conditions to avoid	High temperatures of above 2987°F (1641°C) and at low temperatures of -350°F (-212°C) below freezing under conditions of use. Flames.		
Incompatible materials	Strong oxidizing agents, strong acids, and strong bases, Hydrogen peroxide, Freon gases.		
Hazardous decomposition product	s Carbon oxides, Lead oxides.		

11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.

Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).
Symptoms related to the physical, c	nemical and toxicological characteristics
Symptoms	No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lead Powder 7439-92-1	5000 mg/kg(Rat)		5.05 mg/L (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead Powder	A3	Group 2A	Reasonably Anticipated	Х
7439-92-1				
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	X
Petroleum distillates, hydrotreated	A2	Group 1	Known	x

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
NTP (National Toxicology Program)
Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Classification based on data available for ingredients. May damage fertility or the unborn child. May cause harm to breast-fed children.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Kidney. Eyes. Central nervous system. Blood. Gastrointestinal tract (GI). Gingival Tissue.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Product Information		
Species	Fish	
Endpoint type	LC50	
Effective dose	1 - 0.44 mg/L	
Exposure time	96 hours	
Species	Daphnia magna	
Endpoint type	EC50	
Effective dose	1 - 600 μg/l	
Exposure time	48 hours	
Species	Fish	
Endpoint type	LC50	
Effective dose	2 - 1.17 mg/L	
Exposure time	96 hours	

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lead Powder 7439-92-1		LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss)		EC50: =600μg/L (48h, water flea)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50: >5000mg/L (96h, Oncorhynchus mykiss)		EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT

UN/ID no	UN3077
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)
Transport hazard class(es)	9
Packing group	
Reportable Quantity (RQ)	(Lead: RQ (kg)= 4.54) Lead: RQ (lb)= 10
Reportable quantity (kg)	Lead: RQ (kg)= 6
(calculated)	
Reportable quantity (lbs)	Lead: RQ (lb)= 14.00
(calculated)	
Special Provisions	146,335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8
DOT Marine Pollutant	1
Marine pollutant	Lead
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead), 9, III,
	Marine pollutant
Emergency Response Guide	171
Number	
UN number or ID number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (Lead)
Transport hazard class(es)	9
Packing group	III III III III III III III III III II
IATA Technical Name	Lead
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead), 9, III
Special Provisions	A97,A158,A179,A197,A215
ERG Code	9L
IMDG	
UN number or ID number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)
Transport hazard class(es)	9
Packing group	
IMDG Technical Name	Lead
Marine pollutant	p
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead), 9, III,
	Marine pollutant
Special Provisions	274,335,966,967,969
EmS-No.	F-A, S-F

15. Regulatory information International Inventories

Contact supplier for inventory compliance status

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values%
Lead Powder - 7439-92-1	0.1

<u>SARA 311/312 Hazard Categories</u> Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SOS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead Powder 7439-92-1		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Lead Powder 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Lead Powder - 7439-92-1	Carcinogen Developmental
	Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Lead Powder 7439-92-1	X	X	Х
Naphthenic acid	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA Heal		nmability 0 nmability 0 Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X	
Key or legend to abbreviations and acronyms used in the safety data sheet					
Legend SVHC: Substances of Very Hig PBT: Persistent, Bioaccumular vPvB: Very Persistent and very STOT: Specific Target Organ T ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentratio LD50: 50% Lethal Dose	tive, and Toxic (PBT) Sub / Bioaccumulative (vPvB) oxicity	stances			
Legend Section 8: Exposure	controls/personal prote	ection			
TWATWA (time- Maximum li+Sensitizers	weighted average) mit value	STEL Sk*	STEL (Short Term Exposure Limit) Skin designation		
Key literature references and Agency for Toxic Substances a U.S. Environmental Protection / European Food Safety Authorit EPA (Environmental Protection Acute Exposure Guideline Leve U.S. Environmental Protection / U.S. Environmental Protection / Food Research Journal Hazardous Substance Databas International Uniform Chemical Japan GHS Classification Australia National Industrial Chi NIOSH (National Institute for O National Library of Medicine's C National Library of Medicine's F U.S. National Toxicology Progra New Zealand's Chemical Class Organization for Economic Co- Organization for Economic Co- World Health Organization	nd Disease Registry (ATS Agency ChemView Databa y (EFSA) Agency) I(s) (AEGL(s)) Agency Federal Insecticide Agency High Production V e Information Database (IU emicals Notification and A ccupational Safety and He ChemID Plus (NLM CIP) ubMed database (NLM P am (NTP) fication and Information D operation and Developme operation and Developme	SDR) ase e, Fungicide, and Ro /olume Chemicals CLID) ssessment Scheme ealth) /UBMED) Database (CCID) ent Environment, Hea ent High Production V	(NICNAS) alth, and Safety Publicatior Volume Chemicals Progra		
Issuing Date	21-Jun-2022	21-Jun-2022			
Revision Date	16-Nov-2023	16-Nov-2023			
Revision Note	Change in classifi	Change in classification.			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet