



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 26-Jul-2022

Revision Date 16-Nov-2023

Revision Number 2

1. Identification

Product identifier

Product Name ARMITE-MIL907 High Temperature Anti-Seize Compound

Other means of identification

Product Code(s) 27-01, 27-02, 27-03, 27-06, 27-07, 27-08

UN/ID no UN3077

Synonyms MIL-PRF-907 Rev. F (Complies & Conforms with the requirements of)

Recommended use of the chemical and restrictions on use

Recommended use Anti-seize//Sealant

Restrictions on use Do not use with pure Oxygen and Freon gases.

Details of the supplier of the safety data sheet

Manufacturer Address

Armite Laboratories Inc., dba Armite Lubricants
1218 Commerce Court Suite B
Lafayette, CO 80026
+1 720-262-5480

E-mail sales@armite.com

Emergency telephone number

24 Hour Emergency Phone Number 888-255-3924

Emergency telephone No information available

12. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
Effects on or via lactation	Yes

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Danger

**Hazard statements**

May cause cancer.

May damage fertility or the unborn child.

May cause harm to breast-fed children.

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Do not breathe dusts or mists.

Avoid contact during pregnancy and while nursing.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Very toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Lead Powder	7439-92-1	60-75	
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	17-25	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures**General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.
--------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Conditions for safe storage, including any incompatibilities.

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place and away from direct sunlight/UV light. Keep out of the reach of children. Store at 15.56 - 26.66°C / 60 - 80°F.

8. Exposure controls/personal protection**Control parameters**

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Lead Powder 7439-92-1	TWA: 0.05 mg/m ³	TWA: 50 µg/m ³	IDLH: 100 mg/m ³ TWA: 0.050 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
Lead Powder 7439-92-1	200 µg/L - blood (Lead) - not critical

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Appearance Dark Gray Paste
Physical state Solid
Color Dark Gray
Odor Mild Petroleum
Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		No data available
pH (as aqueous solution)		No data available
Melting point/ freezing point	54.39 °C / 129.9 °F	No data available
Initial boiling point and boiling range	> 204 °C / > 399.2 °F	No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Vapor pressure		No data available
Relative vapor density		No data available
Relative density	1.93	No data available
Water solubility	Insoluble in water	No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOE content	None	
Liquid Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal and foreseeable conditions of storage and use.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	High temperatures of above 2987°F (1641°C) and at low temperatures of -350°F (-212°C) below freezing under conditions of use. Flames.
Incompatible materials	Strong oxidizing agents, strong acids, and strong bases, Hydrogen peroxide, Freon gases.
Hazardous decomposition products	Carbon oxides, Lead oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) >5,000 mg/kg
 ATEmix (dermal) >5,000 mg/kg
 ATEmix (inhalation-dust/mist) >5.0 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lead Powder 7439-92-1	5000 mg/kg (Rat)		5.05 mg/L (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lead Powder 7439-92-1	A3	Group 2A	Reasonably Anticipated	X
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Classification based on data available for ingredients. May damage fertility or the unborn child. May cause harm to breast-fed children.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Kidney. Eyes. Central nervous system. Blood. Gastrointestinal tract (GI). Gingival Tissue.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product Information	
Species	Fish
Endpoint type	LC50
Effective dose	1 - 0.44 mg/L
Exposure time	96 hours

Species	Daphnia magna
Endpoint type	EC50
Effective dose	1 - 600 µg/l
Exposure time	48 hours

Species	Fish
Endpoint type	LC50
Effective dose	2 - 1.17 mg/L
Exposure time	96 hours

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lead Powder 7439-92-1		LC50: =0.44mg/L (96h, Cyprinus carpio) LC50: =1.17mg/L (96h, Oncorhynchus mykiss) LC50: =1.32mg/L (96h, Oncorhynchus mykiss)		EC50: =600µg/L (48h, water flea)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		LC50: >5000mg/L (96h, Oncorhynchus mykiss)		EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability	No information available.
Bioaccumulation	No information available.
Other adverse effects	No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information**DOT**

UN/ID no	UN3077
Extended proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)
Transport hazard class(es)	9
Packing group	III
Reportable Quantity (RQ)	(Lead: RQ (kg)= 4.54) Lead: RQ (lb)= 10
Reportable quantity (kg) (calculated)	Lead: RQ (kg)= 6
Reportable quantity (lbs) (calculated)	Lead: RQ (lb)= 14.00
Special Provisions	146,335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8
DOT Marine Pollutant	I
Marine pollutant Description	Lead UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead), 9, III, Marine pollutant
Emergency Response Guide Number	171

IATA

UN number or ID number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (Lead)
Transport hazard class(es)	9
Packing group	III
IATA Technical Name	Lead
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (Lead), 9, III
Special Provisions	A97,A158,A179,A197,A215
ERG Code	9L

IMDG

UN number or ID number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)
Transport hazard class(es)	9
Packing group	III
IMDG Technical Name	Lead
Marine pollutant	P
Description	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead), 9, III, Marine pollutant
Special Provisions	274,335,966,967,969
EmS-No.	F-A, S-F

15. Regulatory information**International Inventories**

Contact supplier for inventory compliance status

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values%
Lead Powder - 7439-92-1	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SOS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lead Powder 7439-92-1		X	X	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Lead Powder 7439-92-1	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Lead Powder - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Lead Powder 7439-92-1	X	X	X
Naphthenic acid 1338-24-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NEPA	Health hazards 0	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2	Flammability 0	Physical hazards 0	Personal protection X
<i>Chronic Hazard Star Legend</i>	<i>* = Chronic Health Hazard</i>			

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
 STOT: Specific Target Organ Toxicity
 ATE: Acute Toxicity Estimate
 LC50: 50% Lethal Concentration
 LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	SK*	Skin designation
+	Sensitizers		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 26-Jul-2022

Revision Date 16-Nov-2023 (Armité & UL).

Revision Note Change in classification.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet